

Package ‘comapr’

November 20, 2024

Title Crossover analysis and genetic map construction

Version 1.10.0

Description comapr detects crossover intervals for single gametes from their haplotype states sequences and stores the crossovers in GRanges object. The genetic distances can then be calculated via the mapping functions using estimated crossover rates for maker intervals. Visualisation functions for plotting interval-based genetic map or cumulative genetic distances are implemented, which help reveal the variation of crossovers landscapes across the genome and across individuals.

biocViews Software, SingleCell, Visualization, Genetics

Depends R (>= 4.1.0)

Imports methods, ggplot2, reshape2, dplyr, gridExtra, plotly, circlize, rlang, GenomicRanges, IRanges, foreach, BiocParallel, GenomeInfoDb, scales, RColorBrewer, tidyr, S4Vectors, utils, Matrix, grid, stats, SummarizedExperiment, plyr, Gviz

License MIT + file LICENSE

Encoding UTF-8

LazyData false

RoxygenNote 7.2.3

VignetteBuilder knitr

Suggests BiocStyle, knitr, rmarkdown, testthat (>= 2.1.0), statmod

git_url <https://git.bioconductor.org/packages/comapr>

git_branch RELEASE_3_20

git_last_commit c9af54a

git_last_commit_date 2024-10-29

Repository Bioconductor 3.20

Date/Publication 2024-11-20

Author Ruqian Lyu [aut, cre] (<<https://orcid.org/0000-0002-7736-6612>>)

Maintainer Ruqian Lyu <xiaoru.best@gmail.com>

Contents

.change_missing	2
.filterCOsExtra	3
.label_gt	4
bootstrapDist	5
calGeneticDist	6
coCount	8
comapr	9
combineHapState	9
correctGT	10
countBinState	11
countCOs	12
countGT	13
fill_fail	14
filterGT	14
findDupSamples	15
getAFTracks	16
getCellAFTrack	17
getCellCORange	19
getCellDPTrack	20
getDistortedMarkers	21
getMeanDPTrack	22
getSNPDensityTrack	23
parents_genotype	24
perCellChrQC	24
permuteDist	25
perSegChrQC	26
plotCount	27
plotGeneticDist	29
plotGTFreq	30
plotWholeGenome	30
readColMM	31
readHapState	32
snp_genotype	33
snp_genotype_gr	34
twoSamples	35
Index	36

.change_missing	<i>change SNPs with genotype 'Fail' to NA</i>
-----------------	---

Description

change SNPs with genotype 'Fail' to NA

Usage

```
.change_missing(s_gt, missing = "Fail")
```

Arguments

s_gt a column of labelled genotypes
missing the string used for encoding missing values default to Fail

Details

calculation.

Value

a vector of genotypes with Fail substituted by 'NA'

Author(s)

Ruqian Lyu

.filterCOsExtra *Filter out doublet cells and uninformative SNPs*

Description

This function filter out cells that have been called too many crossovers due to diploid cell contamination or doublets. It also only keeps SNPs (rows) that ever contribute to a crossover interval. This function should be run for individual chromosomes and is called internally by 'readHapState'

Usage

```
.filterCOsExtra(  
  se,  
  minSNP = 30,  
  minlogllRatio = 200,  
  minCellSNP = 200,  
  bpDist = 100,  
  maxRawCO = 10,  
  biasTol = 0.45,  
  nmad = 1.5  
)
```

Arguments

se the SummarizedExperiment object that contains the called haplotype state matrix in the assay field and haplotype segment information in the metadata field.
minSNP the crossover(s) will be filtered out if introduced by a segment that has fewer than 'minSNP' SNPs to support.
minlogllRatio the crossover(s) will be filtered out if introduced by a segment that has lower than 'minlogllRatio' to its reversed state.
minCellSNP the minimum number of SNPs detected for a cell to be kept, used with 'nmads'
bpDist the crossover(s) will be filtered out if introduced by a segment that is shorter than 'bpDist' basepairs.

Details

This function takes the a sample's genotype across each SNP marker in alleles and compare with genotypes of in-bred reference and alternative strains to. If the sample's genotype for a particular SNP marker is the same with the reference strain, it is labelled as Homo_ref homogeneous reference for a particular SNP marker; if the sample's genotype is the same with the alternative strain it is labelled as Homo_alt homogeneous alternative for a particular SNP marker; if the sample's genotype is heterozygous then it is labeled as Het heterozygous for this particular genotypes. If it does not fall in any of the three cases, it is labelled as the string specified by the argument 'missing'.

Note that the wrong/failed genotype is labelled as the string in 'missing' after this function. If there is a different label for failed genotype, provide the label using the 'missing' argument.

Value

a vector of labels Homo_ref, Homo_alt, Het indicating the progeny's genotypes across markers

Author(s)

Ruqian Lyu

bootstrapDist	<i>bootstrapDist</i>
---------------	----------------------

Description

Generating distribution of sample genetic distances

Usage

```
bootstrapDist(co_gr, B = 1000, mapping_fun = "k", group_by)
```

Arguments

co_gr	GRanges or RangedSummarizedExperiment object that contains the crossover counts for each marker interval across all samples. Returned by countCOs
B	integer the number of sampling times
mapping_fun	character default to "k" (kosambi mapping function). It can be one of the mapping functions: "k","h"
group_by	the prefix for each group that we need to generate distributions for(only when co_gr is a GRanges object). Or the column name for 'colData(co_gr)' that contains the group factor (only when co_gr is a RangedSummarizedExperiment object)

Details

It takes the crossover counts for samples in multiple groups that is returned by 'countCO'. It then draws samples from a group with replacement and calculate the distribution of relevant statistics.

Value

lists of numeric genetic distances for multiple samples

Author(s)

Ruqian Lyu

Examples

```
data(coCount)

bootsDiff <- bootstrapDist(coCount, group_by = "sampleGroup", B=10)
```

calGeneticDist	<i>calGeneticDist</i>
----------------	-----------------------

Description

Calculate genetic distances of marker intervals or binned-chromosome. Given whether crossover happens in each marker interval, calculate the recombination fraction in samples and then derive the Haldane or Kosambi genetic distances via mapping functions.

Usage

```
calGeneticDist(
  co_count,
  bin_size = NULL,
  mapping_fun = "k",
  ref_genome = "mm10",
  group_by = NULL,
  chrom_info = NULL
)

## S4 method for signature 'GRanges,missing,ANY,ANY,missing'
calGeneticDist(
  co_count,
  bin_size = NULL,
  mapping_fun = "k",
  ref_genome = "mm10",
  group_by = NULL,
  chrom_info = NULL
)

## S4 method for signature 'GRanges,numeric,ANY,ANY,missing'
calGeneticDist(
  co_count,
  bin_size = NULL,
  mapping_fun = "k",
  ref_genome = "mm10",
  group_by = NULL,
  chrom_info = NULL
)

## S4 method for signature 'GRanges,missing,ANY,ANY,character'
calGeneticDist(
```

```
    co_count,
    bin_size = NULL,
    mapping_fun = "k",
    ref_genome = "mm10",
    group_by = NULL,
    chrom_info = NULL
)

## S4 method for signature 'GRanges,numeric,ANY,ANY,character'
calGeneticDist(
  co_count,
  bin_size = NULL,
  mapping_fun = "k",
  ref_genome = "mm10",
  group_by = NULL,
  chrom_info = NULL
)

## S4 method for signature 'RangedSummarizedExperiment,missing,ANY,ANY,missing'
calGeneticDist(
  co_count,
  bin_size = NULL,
  mapping_fun = "k",
  ref_genome = "mm10",
  group_by = NULL,
  chrom_info = NULL
)

## S4 method for signature
## 'RangedSummarizedExperiment,missing,ANY,ANY,character'
calGeneticDist(
  co_count,
  bin_size = NULL,
  mapping_fun = "k",
  ref_genome = "mm10",
  group_by = NULL,
  chrom_info = NULL
)

## S4 method for signature
## 'RangedSummarizedExperiment,numeric,ANY,ANY,character'
calGeneticDist(
  co_count,
  bin_size = NULL,
  mapping_fun = "k",
  ref_genome = "mm10",
  group_by = NULL,
  chrom_info = NULL
)

## S4 method for signature 'RangedSummarizedExperiment,numeric,ANY,ANY,missing'
calGeneticDist(
```

```

    co_count,
    bin_size = NULL,
    mapping_fun = "k",
    ref_genome = "mm10",
    group_by = NULL,
    chrom_info = NULL
  )

```

Arguments

co_count	GRange or RangedSummarizedExperiment object, returned by countCO
bin_size	The binning size for grouping marker intervals into bins. If not supplied, the original marker intervals are returned with converted genetic distances based on recombination rate
mapping_fun	The mapping function to use, can be one of "k" or "h" (kosambi or haldane)
ref_genome	The reference genome name. It is used to fetch the chromosome size information from UCSC database.
group_by	character vector contains the unique prefix of sample names that are used for defining different sample groups. Or the column name in colData(co_count) that specify the group factor. If missing all samples are assumed to be from one group
chrom_info	A user supplied data.frame containing two columns with column names chrom and size, describing the chromosome names and lengths if not using ref_genome from UCSC. If supplied, the 'ref_genome' is ignored.

Value

GRanges object GRanges for marker intervals or binned intervals with Haldane or Kosambi centi-Morgans

Examples

```

data(coCount)
dist_se <- calGeneticDist(coCount)
# dist_se <- calGeneticDist(coCount, group_by="sampleGroup")

```

coCount	<i>RangedSummarizedExperiment object containing the crossover counts across samples for the list of SNP marker intervals</i>
---------	--

Description

RangedSummarizedExperiment object containing the crossover counts across samples for the list of SNP marker intervals

Usage

```
data(coCount)
```


Format

An object of class `RangedSummarizedExperiment` with 3 rows and 10 columns.

comapr	comapr <i>package</i>
--------	-----------------------

Description

crossover inference package

Details

See the README on [GitLab](#)

combineHapState	<i>combineHapState</i>
-----------------	------------------------

Description

combine two ‘`RangedSummarizedExperiment`’ objects, each contains the haplotype state for a list of SNPs across a set of cells. The combined result will have cells from two individuals and merged list of SNPs from the two.

Usage

```
combineHapState(rse1, rse2, groupName = c("Sample1", "Sample2"))
```

Arguments

rse1	the first ‘ <code>RangedSummarizedExperiment</code> ’
rse2	the second ‘ <code>RangedSummarizedExperiment</code> ’
groupName	a character vector of length 2 that contains the first and the second group’s names

Value

A ‘`RangedSummarizedExperiment`’ that contains the cells and SNPs in both ‘rse’

Author(s)

Ruqian Lyu

Examples

```

BiocParallel::register(BiocParallel::SnowParam(workers = 1))
demo_path <- paste0(system.file("extdata",package = "comapr"),"/")
s1_rse_state <- readHapState("s1",chroms=c("chr1"),
                           path=demo_path,barcodeFile=NULL,minSNP = 0,
                           minlogllRatio = 50,
                           bpDist = 100,maxRawCO=10,
                           minCellsNP = 1)

s2_rse_state <- readHapState("s2",chroms=c("chr1"),
                           path=demo_path,
                           barcodeFile=paste0(demo_path,"s2_barcode.txt"),
                           minSNP = 0,
                           minlogllRatio = 50,
                           bpDist = 100,maxRawCO=10,
                           minCellsNP = 1)

sb <- combineHapState(s1_rse_state,s2_rse_state)

```

correctGT

correctGT

Description

function for formatting and correction genotypes of markers

Usage

```
correctGT(gt_matrix, ref, alt, failed = "Fail", wrong_label = "Homo_ref")
```

Arguments

gt_matrix	the input genotype matrix of markers by samples with rownames as marker IDs and column names as sample IDs
ref	a vector of genotypes of the inbred reference strain
alt	a vector of genotypes of the inbred alternative strain
failed	what was used for encoding failed genotype calling such as "Fail" in example data snp_geno
wrong_label	what would be considered a wrong genotype label for example Homo_ref which should not be in the possible genotypes of BC1F1 samples

Details

This function changes genotype in alleles to genotype labels, change Homo_ref to Hets/Fail, infer Failed genotype, and change "Failed" to NA for counting crossover later

This function changes genotype in alleles to labels by calling internal functions lable_gt, and changes the wrong genotype Homo_ref to Fail by calling .change_missing.

Value

a genotype data.frame of sample genotypes with dimension as the input 'gt_matrix' with genotypes converted to labels and failed calls are changed to NA.

Author(s)

Ruqian Lyu

Examples

```

data(snp_geno_gr)
data(parents_geno)
snp_gt_crt <- correctGT(gt_matrix = GenomicRanges::mcols(snp_geno_gr),
                       ref = parents_geno$ref,
                       alt = parents_geno$alt,
                       fail = "Fail",
                       wrong_label = "Homo_ref")

```

countBinState	<i>countBinState</i>
---------------	----------------------

Description

Bins the chromosome into supplied number of bins and find the state of the chromosome bins across all gamete cells

Usage

```
countBinState(chr, snpAnno, viState, genomeRange, ntile = 5)
```

Arguments

chr	character, the chromosome to check
snpAnno	data.frame, the SNP annotation for the supplied chromosome
viState	dgTMatrix/Matrix, the viterbi state matrix, output from 'sgcocaller'
genomeRange	GRanges object with seqlengths information for the genome
ntile	integer, how many tiles the chromosome is binned into

Details

This function is used for checking whether chromosome segregation pattern obeys the expected ratio.

Value

a data.frame that contains chromosome bin segregation ratio

Author(s)

Ruqian Lyu

Examples

```

library(IRanges)
library(S4Vectors)

chrom_info <- GenomeInfoDb::getChromInfoFromUCSC("mm10")
seq_length <- chrom_info$size
names(seq_length) <- chrom_info$chrom

dna_mm10_gr <- GenomicRanges::GRanges(
  seqnames = Rle(names(seq_length)),
  ranges = IRanges(1, end = seq_length, names = names(seq_length)),
  seqlengths = seq_length)

GenomeInfoDb::genome(dna_mm10_gr) <- "mm10"
demo_path <- system.file("extdata",package = "comapr")
sampleName <- "s1"
chr <- "chr1"
vi_mtx <- Matrix::readMM(file = paste0(demo_path,"/", sampleName, "_",
                                       chr, "_vi.mtx"))

snpAnno <- read.table(file = paste0(demo_path,"/", sampleName,
                                     "_", chr, "_snpAnnot.txt"),
                     stringsAsFactors = FALSE,
                     header = TRUE)

countBinState(chr = "chr1",snpAnno = snpAnno,
viState = vi_mtx,genomeRange = dna_mm10_gr, ntile = 1)

```

countCOs

*countCOs***Description**

Count number of COs within each marker interval COs identified in the interval overlapping missing markers are distributed according to marker interval base-pair sizes. Genotypes encoded with "0" are treated as missing value.

Usage

```

countCOs(geno)

## S4 method for signature 'GRanges'
countCOs(geno)

## S4 method for signature 'RangedSummarizedExperiment'
countCOs(geno)

```

Arguments

geno GRanges object or RangedSummarizedExperiment object with genotype matrix that has SNP positions in the rows and cells/samples in the columns

Value

GRanges object or RangedSummarizedExperiment with markers-intervals as rows and samples in columns, values as the number of COs estimated for each marker interval

Author(s)

Ruqian Lyu

Examples

```
data(twoSamples)
cocount <- countCOs(twoSamples)
```

countGT

countGT

Description

count how many samples have genotypes calls across markers and count how many markers that each individual has called genotypes for. This function helps identify poor samples or poor markers for filtering. It can also generate plots that help identify outlier samples/markers

Usage

```
countGT(geno, plot = TRUE, interactive = FALSE)
```

Arguments

geno	the genotype data.frame of markers by samples from output of function correctGT
plot	it determines whether a plot will be generated, defaults to TRUE
interactive	it determines whether an interactive plot will be generated

Value

A list of two elements including n_markers and n_samples

Author(s)

Ruqian Lyu

Examples

```
data(snp_geno_gr)
genotype_counts <- countGT(GenomicRanges::mcols(snp_geno_gr))
```

fill_fail	<i>Infer the genotype of failed SNPs If we have a Fail in the genotype data and the Fail in a block of either Home_alt, or Het, we fill in the Fails using values of the ones adjacent to it, otherwise they remain as "Fail" to indicate missing values.</i>
-----------	---

Description

Infer the genotype of failed SNPs If we have a Fail in the genotype data and the Fail in a block of either Home_alt, or Het, we fill in the Fails using values of the ones adjacent to it, otherwise they remain as "Fail" to indicate missing values.

Usage

```
fill_fail(s_gt, fail = "Fail", chr = NULL)
```

Arguments

s_gt	a column of labelled genotypes
fail	the string that is used for encoding failed genotype results, default to Fail
chr	the factor vector indicating which chromosomes the markers are on, default to NULL which means the input markers are all on the same chromosome.

Value

a vector of genotypes with Failed genotype imputed or changed to 'NA' if not imputable

Author(s)

Ruqian Lyu

filterGT	<i>filterGT</i>
----------	-----------------

Description

Filter markers or samples that have too many missing values

Usage

```
filterGT(geno, min_markers = 5, min_samples = 3)

## S4 method for signature 'matrix,numeric,numeric'
filterGT(geno, min_markers = 5, min_samples = 3)

## S4 method for signature 'GRanges,numeric,numeric'
filterGT(geno, min_markers = 5, min_samples = 3)
```

Arguments

geno the genotype data.frame of markers by samples from output of function correctGT
 min_markers the minimum number of markers for a sample to be kept
 min_samples the minimum number of samples for a marker to be kept

Details

This function takes the geno data.frame and filter the data.frame by the provided cut-offs.

Value

The filtered genotype matrix

Author(s)

Ruqian Lyu

Examples

```
data(snp_genog)
corrected_genog <- filterGT(snp_genog, min_markers = 30, min_samples = 2)
```

findDupSamples	<i>findDupSamples</i>
----------------	-----------------------

Description

Find the duplicated samples by look at the number of matching genotypes in all pair-wise samples

Usage

```
findDupSamples(geno, threshold = 0.99, in_text = FALSE)
```

Arguments

geno the genotype data.frame of markers by samples from output of function correctGT
 threshold the frequency cut-off of number of matching genotypes out of all genotypes for determining whether the pair of samples are duplicated, defaults to 0.99. NAs are regarded as same genotypes for two samples if they both have NA for a marker.
 in_text whether text of frequencies should be displayed in the heatmap cells

Value

The paris of duplicated samples.

Author(s)

Ruqian Lyu

Examples

```

data(snp_genotype)
or_genotype <- snp_genotype[,grep("X",colnames(snp_genotype))]
rownames(or_genotype) <- paste0(snp_genotype$CHR,"_",snp_genotype$POS)
or_genotype[,1] <- or_genotype[,5]
cr_genotype <- correctGT(or_genotype,ref = snp_genotype$C57BL.6J,
                        alt = snp_genotype$FVB.NJ..i.)
dups <- findDupSamples(cr_genotype)

```

getAFTracks

getAFTracks

Description

Generate the raw alternative allele frequencies tracks for all cells in the columns of provided 'co_count'

Usage

```

getAFTracks(
  chrom = "chr1",
  path_loc = "./output/firstBatch/WC_522/",
  sampleName = "WC_522",
  nwindow = 80,
  barcodeFile,
  co_count,
  snp_track = NULL
)

```

Arguments

chrom	the chromosome
path_loc	the path prefix to the output files from sscocaller including "*_totalCount.mtx" and "_altCount.mtx"
sampleName	the sample name, which is the prefix of sscocaller's output files
nwindow	the number of windows for binning the chromosome
barcodeFile	the barcode file containing the list of cell barcodes used as the input file for sscocaller
co_count	'GRange' or 'RangedSummarizedExperiment' object, returned by countCO that contains the crossover intervals and the number of crossovers in each cell.
snp_track	the SNP position track which is used for obtaining the SNP chromosome locations. It could be omitted and the SNP positions will be acquired from the "*_snpAnnot.txt" file.

Value

a list object, in which each element is a list of two items with the cell's alternative allele frequency DataTrack and the called crossover ranges.

Author(s)

Ruqian Lyu

Examples

```

demo_path <- system.file("extdata",package = "comapr")
s1_rse_state <- readHapState("s1",chrom=c("chr1"),
                           path=demo_path,barcodeFile=NULL,minSNP = 0,
                           minlogllRatio = 50,
                           bpDist = 100,maxRawCO=10,
                           minCellSNP = 0)
s1_counts <- countCOs(s1_rse_state)

af_co_tracks <- getAFTracks(chrom ="chr1",
                           path_loc = demo_path,
                           sampleName = "s1",
                           barcodeFile = file.path(demo_path,
                                                    "s1_barcodes.txt"),
                           co_count = s1_counts)

```

getCellAFTrack

getCellAFTrack Generates the DataTracks for plotting AF and crossover regions

Description

It plots the raw alternative allele frequencies and highlight the crossover regions for the selected cell.

It plots the raw alternative allele frequencies and highlight the crossover regions for the selected cell.

Usage

```

getCellAFTrack(
  chrom = "chr1",
  path_loc = "./output/firstBatch/WC_522/",
  sampleName = "WC_522",
  nwindow = 80,
  barcodeFile,
  cellBarcode,
  co_count,
  snp_track = NULL,
  chunk = 1000L
)

```

```

getCellAFTrack(
  chrom = "chr1",
  path_loc = "./output/firstBatch/WC_522/",
  sampleName = "WC_522",
  nwindow = 80,

```

```

barcodeFile,
cellBarcode,
co_count,
snp_track = NULL,
chunk = 1000L
)

```

Arguments

chrom	the chromosome
path_loc	the path prefix to the output files from sscocaller including "*_totalCount.mtx" and "_altCount.mtx"
sampleName	the sample name, which is the prefix of sscocaller's output files
nwindow	the number of windows for binning the chromosome
barcodeFile	the barcode file containing the list of cell barcodes used as the input file for sscocaller
cellBarcode	the selected cell barcode
co_count	'GRange' or 'RangedSummarizedExperiment' object, returned by countCO that contains the crossover intervals and the number of crossovers in each cell.
snp_track	the SNP position track which is used for obtaining the SNP chromosome locations. It could be omitted and the SNP positions will be acquired from the "*_snpAnnot.txt" file.
chunk	An integer scalar indicating the chunk size to use, i.e., number of rows to read at any one time.

Value

The DataTrack object defined in [DataTrack](#)

The DataTrack object defined in [DataTrack](#)

Author(s)

Ruqian Lyu

Examples

```

demo_path <- paste0(system.file("extdata", package = "comapr"), "/")
s1_rse_state <- readHapState("s1", chroms=c("chr1"),
                           path=demo_path, barcodeFile=NULL, minSNP = 0,
                           minlogllRatio = 50,
                           bpDist = 100, maxRawCO=10,
                           minCellsNP = 0)
s1_counts <- countCOs(s1_rse_state)
af_co_tracks <- getCellAFTrack(chrom = "chr1",
                              path_loc = demo_path,
                              sampleName = "s1",
                              barcodeFile = paste0(demo_path,
                                                    "s1_barcodes.txt"),
                              cellBarcode = "BC1",
                              co_count = s1_counts)

demo_path <- paste0(system.file("extdata", package = "comapr"), "/")

```

```

s1_rse_state <- readHapState("s1",chroms=c("chr1"),
                           path=demo_path,barcodeFile=NULL,minSNP = 0,
                           minlogllRatio = 50,
                           bpDist = 100,maxRawCO=10,
                           minCellsNP = 0)
s1_counts <- countCOs(s1_rse_state)
af_co_tracks <- getCellAFTrack(chrom ="chr1",
                              path_loc = demo_path,
                              sampleName = "s1",
                              barcodeFile = paste0(demo_path,
                                                    "s1_barcode.txt"),
                              cellBarcode = "BC1",
                              co_count = s1_counts)

```

getCellCORange

getCellCORange

Description

It finds the crossover intervals for a selected cell

Usage

```
getCellCORange(co_count, cellBarcode)
```

Arguments

co_count ‘GRanges’ or ‘RangedSummarizedExperiment’ object,
cellBarcode the selected cell’s barcode

Value

GRRange object containing the crossover intervals for the selected cell

Author(s)

Ruqian Lyu

Examples

```

demo_path <-paste0(system.file("extdata",package = "comapr"),"/")
s1_rse_state <- readHapState("s1",chroms=c("chr1"),
                           path=demo_path,barcodeFile=NULL,minSNP = 0,
                           minlogllRatio = 50,
                           bpDist = 100,maxRawCO=10,
                           minCellsNP = 0)
s1_counts <- countCOs(s1_rse_state)

co_ranges <- getCellCORange(cellBarcode = "BC1",
                           co_count = s1_counts)

```

getCellDPTrack	<i>getCellDPTrack Generates the DataTrack for plotting DP of a selected cell</i>
----------------	--

Description

It plots the total allele counts for the selected cell.

Usage

```
getCellDPTrack(
  chrom = "chr1",
  path_loc = "./output/firstBatch/WC_522/",
  sampleName = "WC_522",
  nwindow = 80,
  barcodeFile,
  cellBarcode,
  snp_track = NULL,
  chunk = 1000L,
  log = TRUE,
  plot_type = "hist"
)
```

Arguments

chrom	the chromosome
path_loc	the path prefix to the output files from sscocaller including "*_totalCount.mtx"
sampleName	the sample name, which is the prefix of sscocaller's output files
nwindow	the number of windows for binning the chromosome
barcodeFile	the barcode file containing the list of cell barcodes used as the input file for sscocaller
cellBarcode	the selected cell barcode
snp_track	the SNP position track which is used for obtaining the SNP chromosome locations. It could be omitted and the SNP positions will be acquired from the "*_snpAnnot.txt" file.
chunk	A integer scalar indicating the chunk size to use, i.e., number of rows to read at any one time.
log	whether the histogram of SNP density should be plotted on log scale (log10)
plot_type	the DataTrack plot type, default to be 'hist'

Value

The DataTrack object defined in [DataTrack](#)

Author(s)

Ruqian Lyu

Examples

```

demo_path <- system.file("extdata",package = "comapr")
s1_rse_state <- readHapState("s1",chrom=c("chr1"),
                           path=demo_path,barcodeFile=NULL,minSNP = 0,
                           minlogllRatio = 50,
                           bpDist = 100,maxRawCO=10,
                           minCellSNP = 0)
s1_counts <- countCOs(s1_rse_state)
dp_co_tracks <- getCellDPTrack(chrom ="chr1",
                              path_loc = demo_path,
                              sampleName = "s1",
                              barcodeFile = file.path(demo_path,
                                                         "s1_barcode.txt"),
                              cellBarcode = "BC1")

```

getDistortedMarkers *getDistortedMarkers*

Description

Marker segregation distortion detection using chisq-test

Usage

```
getDistortedMarkers(geno, p = c(0.5, 0.5), adj.method = "BH")
```

Arguments

geno	the genotype data.frame of markers by samples from output of function correctGT
p	the expected genotype ratio in a numeric vector, defaults to c(0.5,0.5)
adj.method	Methods to adjust for multiple comparisons, defaults to "BH"

Details

We expect the genotypes to appear with the frequencies of 1:1 homo_alt:hets. We use `chisq.test` for finding markers that have genotypes among samples that are significantly different from the 1:1 ratio and report them

Value

data.frame with each row representing one SNP marker and columns containing the `chisq.test` results

Author(s)

Ruqian Lyu

Examples

```

data(parents_genom)
data(snp_genom)
corrected_genom <- correctGT(gt_matrix = GenomicRanges::mcols(snp_genom),
ref = parents_genom$ref, alt = parents_genom$alt, fail = "Fail",
wrong_label = "Homo_ref")
GenomicRanges::mcols(snp_genom) <- corrected_genom
corrected_genom <- filterGT(snp_genom, min_markers = 30, min_samples = 2)
pvalues <- getDistortedMarkers(GenomicRanges::mcols(corrected_genom))

```

getMeanDPTrack

getMeanDPTrack

Description

Generate the mean DP (Depth) DataTrack (from Gviz) for cells

Usage

```

getMeanDPTrack(
  chrom = "chr1",
  path_loc,
  nwindow = 80,
  sampleName,
  barcodeFile,
  plot_type = "hist",
  selectedBarcodes = NULL,
  snp_track = NULL,
  log = TRUE
)

```

Arguments

chrom	the chromosome
path_loc	the path prefix to the output files from sscocaller including "*_totalCount.mtx" and "_altCount.mtx"
nwindow	the number of windows for binning the chromosome
sampleName	the sample name, which is the prefix of sscocaller's output files
barcodeFile	the barcode file containing the list of cell barcodes used as the input file for sscocaller
plot_type	the DataTrack plot type, default to be 'hist'
selectedBarcodes	the selected cell barcodes which should be the barcodes that have been called crossovers for. If not supplied then all cells are counted.
snp_track	the SNP position track which is used for obtaining the SNP chromosome locations. It could be omitted and the SNP positions will be acquired from the "*_snpAnnot.txt" file.
log	whether the histogram of SNP density should be plotted on log scale (log10)

Value

DataTrack object plotting the mean DP histogram for windowed chromosomes

Author(s)

Ruqian Lyu

Examples

```
demo_path <- paste0(system.file("extdata", package = "comapr"), "/")
meanDP_track <- getMeanDPTrack(chrom = "chr1",
                               path_loc = demo_path,
                               sampleName = "s1",
                               barcodeFile = paste0(demo_path,
                                                       "s1_barcodes.txt"))
```

getSNPDensityTrack *getSNPDensityTrack*

Description

Generate the SNP density DataTrack (from 'Gviz') for selected chromosome

Usage

```
getSNPDensityTrack(
  chrom = "chr1",
  sampleName = "s1",
  path_loc = ".",
  nwindow = 80,
  plot_type = "hist",
  log = TRUE
)
```

Arguments

chrom	the chromosome
sampleName	the sample name, which is the prefix of sscocaller's output files
path_loc	the path prefix to the output files from sscocaller including "*_totalCount.mtx" and "_altCount.mtx"
nwindow	the number of windows for binning the chromosome
plot_type	the DataTrack plot type, default to be 'hist'
log	whether the histogram of SNP density should be plotted on log scale (log10)

Value

DataTrack object plotting the SNP density histogram

Author(s)

Ruqian Lyu

Examples

```
demo_path <- system.file("extdata", package = "comapr")
snp_track <- getSNPDensityTrack(chrom = "chr1",
                                path_loc = demo_path,
                                sampleName = "s1")
```

parents_geno	<i>Parents' genotype for F1 samples in 'snp_geno'</i>
--------------	---

Description

Parents' genotype for F1 samples in 'snp_geno'

Usage

```
data(parents_geno)
```

Format

A data.frame:

C57BL.6J genotype of reference mouse train across markers

FVB.NJ.i. genotype of alternative mouse train across markers

perCellChrQC	<i>perCellChrQC</i>
--------------	---------------------

Description

A function that parses output ('_viSegInfo.txt') from 'sgccaller' <https://gitlab.svi.edu.au/biocellgen-public/sgccaller> and generate cell cell (per chr) summary statistics

Usage

```
perCellChrQC(
  sampleName,
  chroms = c("chr1", "chr7", "chr15"),
  path,
  barcodeFile = NULL,
  doPlot = TRUE
)
```


Arguments

sampleName	the name of the sample to parse which is used as prefix for finding relevant files for the underlying sample
chroms	the character vectors of chromosomes to parse. Multiple chromosomes' results will be concated together.
path	the path to the files, with name patterns *chrom_vi.mtx, *chrom_viSegInfo.txt, end with slash
barcodeFile	defaults to NULL, it is assumed to be in the same d irectory as the other files and with name sampleName_barcodes.txt
doPlot	whether a plot should returned, default to TRUE

Value

a list object that contains the data.frame with summarised statistics per chr per cell and a plot (if doPlot)

Author(s)

Ruqian Lyu

Examples

```
demo_path <-system.file("extdata",package = "comapr")
pcQC <- perCellChrQC(sampleName="s1",chroms=c("chr1"),
  path=demo_path,
  barcodeFile=NULL)
```

permutDist

permutDist

Description

Permutation test of two sample groups

Usage

```
permutDist(co_gr, B = 100, mapping_fun = "k", group_by)
```

Arguments

co_gr	GRanges or RangedSummarizedExperiment object that contains the crossover counts for each marker interval across all samples. Returned by countCOs
B	integer the number of sampling times
mapping_fun	character default to "k" (kosambi mapping function). It can be one of the map-ping functions: "k","h"
group_by	the prefix for each group that we need to generate distributions for(only when co_gr is a GRanges object). Or the column name for 'colData(co_gr)' that con-tains the group factor (only when co_gr is a RangedSummarizedExperiment object)

Details

It shuffles the group labels for the samples and calculate a difference between two groups after shuffling.

Value

A list of three elements. 'permutes' of length B with numeric differences of permuted group differences, 'observed_diff' the observed genetic distances of two groups, 'nSample', the number of samples in the first and second group.

Author(s)

Ruqian Lyu

Examples

```
data(coCount)
perms <- permuteDist(coCount, group_by = "sampleGroup", B=10)
```

perSegChrQC

perSegChrQC

Description

Plots the summary statistics of segments that are generated by 'sgcocaller' <https://gitlab.svi.edu.au/biocellgen-public/sgcocaller> which have been detected by finding consecutive viter states along the list of SNP markers.

Usage

```
perSegChrQC(
  sampleName,
  chroms = c("chr1", "chr7", "chr15"),
  path,
  barcodeFile = NULL,
  maxRawCO = 10
)
```

Arguments

sampleName	the name of the sample to parse which is used as prefix for finding relevant files for the underlying sample
chroms	the vector of chromosomes
path	the path to the files, with name patterns *chrom_vi.mtx, *chrom_viSegInfo.txt, end with slash
barcodeFile	defaults to NULL, it is assumed to be in the same directory as the other files and with name sampleName_barcode.txt
maxRawCO	if a cell has more than 'maxRawCO' number of raw crossovers called across a chromosome, the cell is filtered out#'

Details

It provides guidance in filtering out close double crossovers that are not likely biological but due to technical reasons as well as crossovers that are supported by fewer number of SNPs at the ends of the chromosomes.

Value

Histogram plots for statistics summarized across all Viterbi state segments

Author(s)

Ruqian Lyu

Examples

```
demo_path <- system.file("extdata", package = "comapr")
s1_rse_qc <- perSegChrQC(sampleName="s1",
                        chroms=c("chr1"),
                        path=demo_path, maxRawCO=10)
```

plotCount

plotCount

Description

Plot the number of COs per sample group or per chromosome

Usage

```
plotCount(
  co_count,
  by_chr = FALSE,
  group_by = "sampleGroup",
  plot_type = "error_bar"
)

## S4 method for signature 'RangedSummarizedExperiment,missing,missing'
plotCount(
  co_count,
  by_chr = FALSE,
  group_by = "sampleGroup",
  plot_type = "error_bar"
)

## S4 method for signature 'RangedSummarizedExperiment,missing,character'
plotCount(
  co_count,
  by_chr = FALSE,
  group_by = "sampleGroup",
  plot_type = "error_bar"
```

```

)

## S4 method for signature 'RangedSummarizedExperiment,logical,character'
plotCount(
  co_count,
  by_chr = FALSE,
  group_by = "sampleGroup",
  plot_type = "error_bar"
)

## S4 method for signature 'RangedSummarizedExperiment,logical,missing'
plotCount(
  co_count,
  by_chr = FALSE,
  group_by = "sampleGroup",
  plot_type = "error_bar"
)

## S4 method for signature 'GRanges,logical,missing'
plotCount(
  co_count,
  by_chr = FALSE,
  group_by = "sampleGroup",
  plot_type = "error_bar"
)

## S4 method for signature 'GRanges,missing,missing'
plotCount(
  co_count,
  by_chr = FALSE,
  group_by = "sampleGroup",
  plot_type = "error_bar"
)

## S4 method for signature 'GRanges,missing,character'
plotCount(
  co_count,
  by_chr = FALSE,
  group_by = "sampleGroup",
  plot_type = "error_bar"
)

## S4 method for signature 'GRanges,logical,character'
plotCount(
  co_count,
  by_chr = FALSE,
  group_by = "sampleGroup",
  plot_type = "error_bar"
)

```

Arguments

co_count GRange or RangedSummarizedExperiment object, returned by countCO

by_chr	whether it should plot each chromosome separately
group_by	the column name in 'colData(co_count)' that specify the grouping factor. Or the character vector contains the unique prefix of sample names that are used for defining different sample groups. If missing all samples are assumed to be from one group
plot_type	determines what type the plot will be, choose from "error_bar" or "hist". Only relevant when by_chr=TRUE

Value

ggplot object

Examples

```
demo_path <- paste0(system.file("extdata", package = "comapr"), "/")
s1_rse_state <- readHapState("s1", chroms=c("chr1"),
                           path=demo_path, barcodeFile=NULL, minSNP = 0,
                           minlogllRatio = 50,
                           bpDist = 100, maxRawCO=10,
                           minCellsNP = 0)
s1_count <- countCOs(s1_rse_state)
plotCount(s1_count)
```

plotGeneticDist	<i>plotGeneticDist</i>
-----------------	------------------------

Description

Plotting the calculated genetic distanced for each bin or marker interval supplied by the GRanges object

Usage

```
plotGeneticDist(gr, bin = TRUE, chr = NULL, cumulative = FALSE)
```

Arguments

gr	GRanges object with genetic distances calculated for marker intervals
bin	TRUE or FALSE, indicating whether the supplied GRange objecct is for binned interval
chr	the specific chrs selected to plot
cumulative	TRUE or FALSE, indicating whether it plots the bin-wise genetic distances or the cumulative distances

Value

ggplot2 plot

Author(s)

Ruqian Lyu

Examples

```
data(coCount)
dist_se <- calGeneticDist(coCount)
plotGeneticDist(SummarizedExperiment::rowRanges(dist_se))
```

plotGTFreq

plotGTFreq

Description

Function to plot the genotypes for all samples faceted by genotype

Usage

```
plotGTFreq(geno)
```

Arguments

geno the genotype data.frame of markers by samples from output of function correctGT

Value

A ggplot object

Author(s)

Ruqian Lyu

Examples

```
data(snp_geno)
or_geno <- snp_geno[,grep("X",colnames(snp_geno))]
rownames(or_geno) <- paste0(snp_geno$CHR,"_",snp_geno$POS)
or_geno[1,] <- rep("Fail",dim(or_geno)[2])
cr_geno <- correctGT(or_geno,ref = snp_geno$C57BL.6J,
                    alt = snp_geno$FVB.NJ..i.)
ft_gt <- filterGT(cr_geno)
plotGTFreq(ft_gt)
```

plotWholeGenome

Plot cumulative genetic distances across the genome

Description

This function takes the calculated genetic distances for all marker intervals across all chromosomes provided and plot the cumulative genetic distances

Usage

```
plotWholeGenome(gr)
```

Arguments

`gr` GRanges object with genetic distances calculated for marker intervals

Value

A ggplot object

Examples

```
data(coCount)
dist_se <- calGeneticDist(coCount)
plotWholeGenome(SummarizedExperiment::rowRanges(dist_se))
```

readColMM	<i>readColMM</i>
-----------	------------------

Description

Modified the 'Matrix::readMM' function for reading matrices stored in the Harwell-Boeing or MatrixMarket formats but only reads selected column.

Usage

```
readColMM(file, which.col, chunk = 1000L)
```

Arguments

`file` the name of the file to be read from as a character scalar. Those storing matrices in the MatrixMarket format usually end in ".mtx".

`which.col` An integer scalar, the column index

`chunk` An integer scalar indicating the chunk size to use, i.e., number of rows to read at any one time.

Details

See [readMM](#)

Value

A sparse matrix object that inherits from the "Matrix" class which the original dimensions. To get the vector of the specified column, one need to subset the matrix to select the column with the same index.

Author(s)

Ruqian Lyu

Examples

```
demo_path <- paste0(system.file("extdata", package = "comapr"), "/")
readColMM(file = paste0(demo_path, "s1_chr1_vi.mtx"), which.col=2, chunk=2)
```

<code>readHapState</code>	<i>readHapState</i>
---------------------------	---------------------

Description

A function that parses the viterbi state matrix (in .mtx format), barcode.txt and snpAnno.txt files for each individual.

Usage

```
readHapState(
  sampleName,
  chroms = c("chr1"),
  path,
  barcodeFile = NULL,
  minSNP = 30,
  minlogllRatio = 200,
  bpDist = 100,
  maxRawCO = 10,
  nmad = 1.5,
  minCellSNP = 200,
  biasTol = 0.45
)
```

Arguments

<code>sampleName</code>	the name of the sample to parse which is used as prefix for finding relevant files for the underlying sample
<code>chroms</code>	the character vectors of chromosomes to parse. Multiple chromosomes' results will be concatenated together.
<code>path</code>	the path to the files, with name patterns <code>*chrom_vi.mtx</code> , <code>*chrom_viSegInfo.txt</code> , end with slash
<code>barcodeFile</code>	if NULL, it is assumed to be in the same directory as the other files and with name <code>sampleName_barcode.txt</code>
<code>minSNP</code>	the crossover(s) will be filtered out if introduced by a segment that has fewer than 'minSNP' SNPs to support.
<code>minlogllRatio</code>	the crossover(s) will be filtered out if introduced by a segment that has lower than 'minlogllRatio' to its reversed state.
<code>bpDist</code>	the crossover(s) will be filtered out if introduced by a segment that is shorter than 'bpDist' basepairs. It can be a single value or a vector that is the same length and order with 'chroms'.
<code>maxRawCO</code>	if a cell has more than 'maxRawCO' number of raw crossovers called across a chromosome, the cell is filtered out
<code>nmad</code>	how many mean absolute deviations lower than the median number of SNPs per cell for a cell to be considered as low coverage cell and filtered. Only effective when number of cells are larger than 10. When effective, this or 'minCellSNP', whichever is larger, is applied
<code>minCellSNP</code>	the minimum number of SNPs detected for a cell to be kept, used with 'nmads'

biasTol the SNP's haplotype ratio across all cells is assumed to be 1:1. This argument can be used for removing SNPs that have a biased haplotype. i.e. almost always inferred to be haplotype state 1. It specifies a bias tolerance value, SNPs with haplotype ratios deviating from 0.5 smaller than this value are kept. Only effective when number of cells are larger than 10

Value

a RangedSummarizedExperiment with rowRanges as SNP positions that contribute to crossovers in any cells. colData contains cells annotation including barcodes and sampleName.

Author(s)

Ruqian Lyu

Examples

```
demo_path <- system.file("extdata", package = "comapr")
s1_rse_state <- readHapState(sampleName="s1", chroms=c("chr1"),
  path=paste0(demo_path, "/"),
  barcodeFile=NULL, minSNP = 0, minlogllRatio = 50,
  bpDist = 100, maxRawCO=10, minCellSNP=3)
s1_rse_state
```

snp_geno

Markers by genotype results for a group of samples

Description

Markers by genotype results for a group of samples

Usage

```
data(snp_geno)
```

Format

A data frame with columns:

C57BL.6J genotype of reference mouse train across markers

FVB.NJ.i genotype of alternative mouse train across markers

POS SNP marker base-pair location

CHR SNP marker chromosome location

X100 a mouse sample

X101 a mouse sample

X102 a mouse sample

X103 a mouse sample

X104 a mouse sample

X105 a mouse sample

X106 a mouse sample

X107 a mouse sample
X108 a mouse sample
X109 a mouse sample
X110 a mouse sample
X111 a mouse sample
X112 a mouse sample
X113 a mouse sample
X92 a mouse sample
X93 a mouse sample
X94 a mouse sample
X95 a mouse sample
X96 a mouse sample
X97 a mouse sample
X98 a mouse sample
X99 a mouse sample
rsID the SNP ID

Source

Statistics Canada. Table 001-0008 - Production and farm value of maple products, annual. <http://www5.statcan.gc.ca/cansim/>

snp_genogr

Markers by genotype results for a group of samples

Description

Markers by genotype results for a group of samples

Usage

```
data(snp_genogr)
```

Format

A GRanges object:

X100 a mouse sample
X101 a mouse sample
X102 a mouse sample
X103 a mouse sample
X104 a mouse sample
X105 a mouse sample
X106 a mouse sample
X107 a mouse sample

X108 a mouse sample
X109 a mouse sample
X110 a mouse sample
X111 a mouse sample
X112 a mouse sample
X113 a mouse sample
X92 a mouse sample
X93 a mouse sample
X94 a mouse sample
X95 a mouse sample
X96 a mouse sample
X97 a mouse sample
X98 a mouse sample
X99 a mouse sample
rsID the SNP ID

Source

TBD

twoSamples	<i>RangedSummarizedExperiment</i> object containing the Viterbi states SNP markers for samples from two groups. 'colData(twoSamples)' contains the sample group factor.
------------	---

Description

RangedSummarizedExperiment object containing the Viterbi states SNP markers for samples from two groups. 'colData(twoSamples)' contains the sample group factor.

Usage

```
data(twoSamples)
```

Format

An object of class RangedSummarizedExperiment with 6 rows and 10 columns.

Index

* datasets

coCount, 8
 parents_geno, 24
 snp_geno, 33
 snp_geno_gr, 34
 twoSamples, 35

* internal

.change_missing, 2
 .filterCOsExtra, 3
 .label_gt, 4
 fill_fail, 14
 .change_missing, 2
 .filterCOsExtra, 3
 .label_gt, 4

bootstrapDist, 5

calGeneticDist, 6

calGeneticDist, GRanges, missing, ANY, ANY, character-method
 (calGeneticDist), 6

calGeneticDist, GRanges, missing, ANY, ANY, missing-method
 (calGeneticDist), 6

calGeneticDist, GRanges, numeric, ANY, ANY, character-method
 (calGeneticDist), 6

calGeneticDist, GRanges, numeric, ANY, ANY, missing-method
 (calGeneticDist), 6

calGeneticDist, RangedSummarizedExperiment, missing, ANY, ANY, character-method
 (calGeneticDist), 6

calGeneticDist, RangedSummarizedExperiment, missing, ANY, ANY, missing-method
 (calGeneticDist), 6

calGeneticDist, RangedSummarizedExperiment, numeric, ANY, ANY, character-method
 (calGeneticDist), 6

calGeneticDist, RangedSummarizedExperiment, numeric, ANY, ANY, missing-method
 (calGeneticDist), 6

coCount, 8

comapr, 9

combineHapState, 9

correctGT, 10

countBinState, 11

countCOs, 12

countCOs, GRanges-method (countCOs), 12

countCOs, RangedSummarizedExperiment-method
 (countCOs), 12

countGT, 13

DataTrack, 18, 20

fill_fail, 14

filterGT, 14

filterGT, GRanges, numeric, numeric-method
 (filterGT), 14

filterGT, matrix, numeric, numeric-method
 (filterGT), 14

findDupSamples, 15

getAFTracks, 16

getCellAFTrack, 17

getCellCORange, 19

getCellDPTrack, 20

getDistortedMarkers, 21

getMeanDPTrack, 22

getSNPDensityTrack, 23

perCellChrQC, 24

perCellChrQC, 24

perSegChrQC, 26

perSegChrQC, 26

plotCount, 27

plotCount, GRanges, logical, character-method
 (plotCount), 27

plotCount, GRanges, logical, missing-method

plotCount, GRanges, missing, character-method

plotCount, GRanges, missing, missing-method

plotCount, GRanges, missing, missing-method

plotCount, RangedSummarizedExperiment, logical, character-

method (plotCount), 27

plotCount, RangedSummarizedExperiment, logical, missing-me-

thod (plotCount), 27

plotCount, RangedSummarizedExperiment, missing, character-

method (plotCount), 27

plotCount, RangedSummarizedExperiment, missing, missing-me-

thod (plotCount), 27

plotGeneticDist, 29

plotGTFreq, 30

plotWholeGenome, 30

readColMM, 31

readHapState, [32](#)

readMM, [31](#)

snp_geno, [33](#)

snp_geno_gr, [34](#)

twoSamples, [35](#)